









- NOTES: UNLESS OTHERWISE SPECIFIED
1. ALL DIMENSIONS ARE IN MILLIMETERS.
 2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
 3. PACKAGE SIZE CODE REFERENCE:
EIA (inch) NAME: 0603 (0.063in x 0.031in)
IEC (metric) NAME: 1608 (1.6mm x 0.8mm)
 4. DWG NO. REF: HQ2SD07-0603-040 REV A.



DIM	Unit (mm)		
	Min	Nom	Max
A	0.70	0.78	0.85
A1	---	---	0.05
b	0.65	0.70	0.75
D	1.60	1.70	1.80
E	0.80	0.90	1.00
L	0.40	0.45	0.50
aaa	0.05		



SUGGESTED PAD
LAYOUT

- NOTES: UNLESS OTHERWISE SPECIFIED
1. ALL DIMENSIONS ARE IN MILLIMETERS.
 2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
 3. PACKAGE SIZE CODE REFERENCE:
EIA (inch) NAME: 0603 (0.063in x 0.031in)
IEC (metric) NAME: 1608 (1.6mm x0.8mm)
 4. DWG NO. REF: HQ2SD07-0603-040 REV A.

CLEARANCE REVIEW OF SCALED UNIT
OVERLAY ON TOP OF PAD LAYOUT, 2LD
0603

