




DETAIL A, ROTATED -90°  
(SCALE 2:1)




SUGGESTED PAD LAYOUT

NOTES: UNLESS OTHERWISE SPECIFIED


1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. THERE IS NO EXISTING PACKAGE OUTLINE INDUSTRY STANDARD REFERENCE FOR THIS PACKAGE.
4. MOLDED PLASTIC BODY DIMENSIONS DO NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS.
5. DWG NO. REF: HQ2SD07-ABS-099 REV A.



DIM	Unit (mm)	
	Min	Max
A	1.40	1.60
A1	0.05	0.15
A2	1.35	1.45
b	0.60	0.70
c	0.15	0.25
D	4.90	5.10
E	6.25	6.65
E1	4.30	4.50
e	3.90	4.10
L	0.30	0.70
L2	0.25 BSC	
Ø	0°	10°



DETAIL A, ROTATED -90°  
(SCALE 2:1)




SUGGESTED PAD LAYOUT

NOTES: UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. THERE IS NO EXISTING PACKAGE OUTLINE INDUSTRY STANDARD REFERENCE FOR THIS PACKAGE.
4. DIMENSIONS D AND E1 DO NOT INCLUDE MOLD FLASH, PROTRUSIONS OR GATE BURRS.
5. DWG NO. REF: HQ2SD07-ABS-099 REV A.

# CLEARANCE REVIEW OF SCALED UNIT OVERLAY ON TOP OF PAD LAYOUT, 4LD, ABS



SUGGESTED PAD LAYOUT

