







SUGGESTED PAD LAYOUT

NOTES: UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. PACKAGE OUTLINE REFERENCE: JEDEC TO-252, VARIATION AA, ISSUE F.
4. MOLDED PLASTIC BODY DIMENSIONS DO NOT INCLUDE MOLD FLASH, PROTRUSION, OR GATE BURRS.
5. DWG NO. REF: HQ2SD07-TO252AA-013 REV A.



DIM	Unit (mm)	
	Min	Max
A	2.18	2.39
A1	---	0.127
b	0.64	0.89
b2	0.76	1.14
b3	4.95	5.46
c	0.46	0.61
c2	0.46	0.89
D	5.98	6.22
D1	5.21	---
E	6.35	6.73
E1	4.32	---
e	2.29 BSC	
H	9.40	10.41
L	1.40	1.78
L1	2.74 REF	
L2	0.51 BSC	
L3	0.89	1.27
L4	---	1.50
Ø	0°	10°
Ø1	0°	15°
aaa	0.254	




SUGGESTED PAD LAYOUT

NOTES: UNLESS OTHERWISE SPECIFIED

1. ALL DIMENSIONS ARE IN MILLIMETERS.
2. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-1994.
3. PACKAGE OUTLINE REFERENCE: JEDEC TO-252, VARIATION AA, ISSUE F.
4. DIMENSIONS D AND E DO NOT INCLUDE MOLD FLASH, PROTRUSION, OR GATE BURRS.
5. DWG NO. REF: HQ2SD07-TO252AA-013 REV A.

CLEARANCE REVIEW OF SCALED UNIT OVERLAY ON TOP OF PAD LAYOUT, 3LD TO-252 (D-PAK)



PAD LAYOUT

